

CERTIFICATE OF ANALYSIS

Work Order : **FC2403037**
Client : **Regional Municipality of Wood Buffalo**
Contact : Water Treatment Plant
Address : 1 Silin Forest Road
 Fort McMurray Alberta Canada T9H 5A1
Telephone : 780-762-5863
Project : Fort Chipewyan Imperial Release
PO : 4500051416
C-O-C number : ----
Sampler : JF
Site : ----
Quote number : Water Treatment Plant
No. of samples received : 2
No. of samples analysed : 2

Laboratory : ALS Environmental - Calgary
Account Manager : Megan Trydal
Address : 2559 29th Street NE
 Calgary AB Canada T1Y 7B5
Telephone : +1 403 407 1800
Date Samples Received : 04-Nov-2024 16:00
Date Analysis Commenced : 05-Nov-2024
Issue Date : 19-Nov-2024 15:31

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Alex Drake	Lab Analyst	Inorganics, Edmonton, Alberta
Anthony Calero	Supervisor - Inorganic	Inorganics, Calgary, Alberta
Dan Nguyen	Team Leader - Inorganics	Metals, Edmonton, Alberta
Kari Mulroy	Lab Supervisor - Environmental	Organics, Edmonton, Alberta
Miles Gropen	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
Ping Yeung	Team Leader - Inorganics	Inorganics, Edmonton, Alberta
Shruti Mudliar	Lab Analyst	Inorganics, Edmonton, Alberta
Shruti Mudliar	Lab Analyst	Metals, Edmonton, Alberta
Yan Zhang	Team Leader - Organics	Organics, Edmonton, Alberta



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
mg/L	milligrams per litre
µg/L	micrograms per litre
pH units	pH units
µS/cm	microsiemens per centimetre
psu	practical salinity units
-	no units
meq/L	milliequivalents per litre
%	percent

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Workorder Comments

Corrected the sample time on -002





Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Physical Tests										
Hardness (as CaCO3), dissolved	----	EC100/EO	0.50	mg/L	39.8	36.7	----	----	----	
Salinity	----	EC100S/VA	1.0	psu	<1.0	<1.0	----	----	----	
Conductivity	----	E100/EO	2.0	µS/cm	173	95.9	----	----	----	
pH	----	E108/EO	0.10	pH units	8.30	7.61	----	----	----	
Alkalinity, bicarbonate (as HCO3)	71-52-3	E290/EO	1.0	mg/L	61.7	44.8	----	----	----	
Alkalinity, carbonate (as CO3)	3812-32-6	E290/EO	1.0	mg/L	<1.0	<1.0	----	----	----	
Alkalinity, hydroxide (as OH)	14280-30-9	E290/EO	1.0	mg/L	<1.0	<1.0	----	----	----	
Alkalinity, total (as CaCO3)	----	E290/EO	2.0	mg/L	50.6	36.7	----	----	----	
Solids, total dissolved [TDS], calculated	----	EC103/EO	1.0	mg/L	94.1	53.7	----	----	----	
Anions and Nutrients										
Chloride	16887-00-6	E235.Cl/EO	0.50	mg/L	21.0	3.94	----	----	----	
Fluoride	16984-48-8	E235.F/EO	0.020	mg/L	0.022	0.075	----	----	----	
Nitrate (as N)	14797-55-8	E235.NO3/EO	0.020	mg/L	<0.020	<0.020	----	----	----	
Nitrite (as N)	14797-65-0	E235.NO2/EO	0.010	mg/L	<0.010	<0.010	----	----	----	
Sulfate (as SO4)	14808-79-8	E235.SO4/EO	0.30	mg/L	6.70	6.16	----	----	----	
Nitrate + Nitrite (as N)	----	EC235.N+N/E O	0.0500	mg/L	<0.0500	<0.0500	----	----	----	
Total Sulfides										
Sulfide, total (as S)	18496-25-8	E395/CG	0.0015	mg/L	<0.0015	<0.0015	----	----	----	
Sulfide, total (as H2S)	7783-06-4	E395/CG	0.0016	mg/L	<0.0016	<0.0016	----	----	----	
Ion Balance										
Anion sum	----	EC101/EO	0.10	meq/L	1.74	0.98	----	----	----	



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Ion Balance										
Cation sum	----	EC101/EO	0.10	meq/L	1.58	0.91	----	----	----	
Ion balance (APHA)	----	EC101/EO	0.01	%	-4.82	-3.70	----	----	----	
Ion balance (cations/anions)	----	EC101/EO	0.010	%	90.8	92.8	----	----	----	
Total Metals										
Aluminum, total	7429-90-5	E420/EO	0.0030	mg/L	0.160	0.169	----	----	----	
Antimony, total	7440-36-0	E420/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Arsenic, total	7440-38-2	E420/EO	0.00010	mg/L	0.00018	0.00034	----	----	----	
Barium, total	7440-39-3	E420/EO	0.00010	mg/L	0.0212	0.0220	----	----	----	
Beryllium, total	7440-41-7	E420/EO	0.000020	mg/L	<0.000020	<0.000020	----	----	----	
Bismuth, total	7440-69-9	E420/EO	0.000050	mg/L	<0.000050	<0.000050	----	----	----	
Boron, total	7440-42-8	E420/EO	0.010	mg/L	0.014	0.013	----	----	----	
Cadmium, total	7440-43-9	E420/EO	0.0000050	mg/L	<0.0000050	<0.0000050	----	----	----	
Calcium, total	7440-70-2	E420/EO	0.050	mg/L	10.7	9.68	----	----	----	
Cesium, total	7440-46-2	E420/EO	0.000010	mg/L	<0.000010	0.000029	----	----	----	
Chromium, total	7440-47-3	E420/EO	0.00050	mg/L	<0.00050	<0.00050	----	----	----	
Cobalt, total	7440-48-4	E420/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Copper, total	7440-50-8	E420/EO	0.00050	mg/L	0.00068	0.00113	----	----	----	
Iron, total	7439-89-6	E420/EO	0.010	mg/L	<0.010	0.179	----	----	----	
Lead, total	7439-92-1	E420/EO	0.000050	mg/L	<0.000050	0.000123	----	----	----	
Lithium, total	7439-93-2	E420/EO	0.0010	mg/L	0.0031	0.0030	----	----	----	
Magnesium, total	7439-95-4	E420/EO	0.0050	mg/L	3.13	3.10	----	----	----	



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Total Metals										
Manganese, total	7439-96-5	E420/EO	0.00010	mg/L	0.00067	0.00622	----	----	----	
Molybdenum, total	7439-98-7	E420/EO	0.000050	mg/L	0.000209	0.000275	----	----	----	
Nickel, total	7440-02-0	E420/EO	0.00050	mg/L	0.00060	0.00278	----	----	----	
Phosphorus, total	7723-14-0	E420/EO	0.050	mg/L	<0.050	<0.050	----	----	----	
Potassium, total	7440-09-7	E420/EO	0.050	mg/L	0.946	0.987	----	----	----	
Rubidium, total	7440-17-7	E420/EO	0.00020	mg/L	0.00088	0.00121	----	----	----	
Selenium, total	7782-49-2	E420/EO	0.000050	mg/L	<0.000050	0.000071	----	----	----	
Silicon, total	7440-21-3	E420/EO	0.10	mg/L	1.43	1.93	----	----	----	
Silver, total	7440-22-4	E420/EO	0.000010	mg/L	<0.000010	<0.000010	----	----	----	
Sodium, total	7440-23-5	E420/EO	0.050	mg/L	18.6	3.59	----	----	----	
Strontium, total	7440-24-6	E420/EO	0.00020	mg/L	0.0694	0.0689	----	----	----	
Sulfur, total	7704-34-9	E420/EO	0.50	mg/L	1.59	1.86	----	----	----	
Tellurium, total	13494-80-9	E420/EO	0.00020	mg/L	<0.00020	<0.00020	----	----	----	
Thallium, total	7440-28-0	E420/EO	0.000010	mg/L	<0.000010	<0.000010	----	----	----	
Thorium, total	7440-29-1	E420/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Tin, total	7440-31-5	E420/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Titanium, total	7440-32-6	E420/EO	0.00030	mg/L	<0.00030	0.00514	----	----	----	
Tungsten, total	7440-33-7	E420/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Uranium, total	7440-61-1	E420/EO	0.000010	mg/L	<0.000010	0.000078	----	----	----	
Vanadium, total	7440-62-2	E420/EO	0.00050	mg/L	<0.00050	0.00099	----	----	----	
Zinc, total	7440-66-6	E420/EO	0.0030	mg/L	<0.0030	<0.0030	----	----	----	



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Total Metals										
Zirconium, total	7440-67-7	E420/EO	0.00020	mg/L	<0.00020	<0.00020	----	----	----	
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/EO	0.0010	mg/L	0.156	0.0051	----	----	----	
Antimony, dissolved	7440-36-0	E421/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Arsenic, dissolved	7440-38-2	E421/EO	0.00010	mg/L	0.00015	0.00022	----	----	----	
Barium, dissolved	7440-39-3	E421/EO	0.00010	mg/L	0.0214	0.0204	----	----	----	
Beryllium, dissolved	7440-41-7	E421/EO	0.000020	mg/L	<0.000020	<0.000020	----	----	----	
Bismuth, dissolved	7440-69-9	E421/EO	0.000050	mg/L	<0.000050	<0.000050	----	----	----	
Boron, dissolved	7440-42-8	E421/EO	0.010	mg/L	0.028	0.025	----	----	----	
Cadmium, dissolved	7440-43-9	E421/EO	0.0000050	mg/L	<0.0000050	<0.0000050	----	----	----	
Calcium, dissolved	7440-70-2	E421/EO	0.050	mg/L	10.8	9.66	----	----	----	
Cesium, dissolved	7440-46-2	E421/EO	0.000010	mg/L	<0.000010	<0.000010	----	----	----	
Chromium, dissolved	7440-47-3	E421/EO	0.00050	mg/L	<0.00050	<0.00050	----	----	----	
Cobalt, dissolved	7440-48-4	E421/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	
Copper, dissolved	7440-50-8	E421/EO	0.00020	mg/L	0.00073	0.00102	----	----	----	
Iron, dissolved	7439-89-6	E421/EO	0.010	mg/L	<0.010	<0.010	----	----	----	
Lead, dissolved	7439-92-1	E421/EO	0.000050	mg/L	<0.000050	<0.000050	----	----	----	
Lithium, dissolved	7439-93-2	E421/EO	0.0010	mg/L	0.0030	0.0029	----	----	----	
Magnesium, dissolved	7439-95-4	E421/EO	0.0050	mg/L	3.12	3.06	----	----	----	
Manganese, dissolved	7439-96-5	E421/EO	0.00010	mg/L	0.00048	0.00045	----	----	----	
Molybdenum, dissolved	7439-98-7	E421/EO	0.000050	mg/L	0.000195	0.000263	----	----	----	



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID		Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time		04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	----	----
					Result	Result	----	----	----	----	----
Dissolved Metals											
Nickel, dissolved	7440-02-0	E421/EO	0.00050	mg/L	<0.00050	0.00053	----	----	----	----	----
Phosphorus, dissolved	7723-14-0	E421/EO	0.050	mg/L	<0.050	<0.050	----	----	----	----	----
Potassium, dissolved	7440-09-7	E421/EO	0.050	mg/L	0.956	0.963	----	----	----	----	----
Rubidium, dissolved	7440-17-7	E421/EO	0.00020	mg/L	0.00091	0.00089	----	----	----	----	----
Selenium, dissolved	7782-49-2	E421/EO	0.000050	mg/L	<0.000050	<0.000050	----	----	----	----	----
Silicon, dissolved	7440-21-3	E421/EO	0.050	mg/L	1.48	1.65	----	----	----	----	----
Silver, dissolved	7440-22-4	E421/EO	0.000010	mg/L	<0.000010	<0.000010	----	----	----	----	----
Sodium, dissolved	7440-23-5	E421/EO	0.050	mg/L	17.0	3.38	----	----	----	----	----
Strontium, dissolved	7440-24-6	E421/EO	0.00020	mg/L	0.0687	0.0690	----	----	----	----	----
Sulfur, dissolved	7704-34-9	E421/EO	0.50	mg/L	1.82	1.98	----	----	----	----	----
Tellurium, dissolved	13494-80-9	E421/EO	0.00020	mg/L	<0.00020	<0.00020	----	----	----	----	----
Thallium, dissolved	7440-28-0	E421/EO	0.000010	mg/L	<0.000010	<0.000010	----	----	----	----	----
Thorium, dissolved	7440-29-1	E421/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	----	----
Tin, dissolved	7440-31-5	E421/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	----	----
Titanium, dissolved	7440-32-6	E421/EO	0.00030	mg/L	<0.00030	<0.00030	----	----	----	----	----
Tungsten, dissolved	7440-33-7	E421/EO	0.00010	mg/L	<0.00010	<0.00010	----	----	----	----	----
Uranium, dissolved	7440-61-1	E421/EO	0.000010	mg/L	<0.000010	0.000066	----	----	----	----	----
Vanadium, dissolved	7440-62-2	E421/EO	0.00050	mg/L	<0.00050	<0.00050	----	----	----	----	----
Zinc, dissolved	7440-66-6	E421/EO	0.0010	mg/L	0.0014	0.0016	----	----	----	----	----
Zirconium, dissolved	7440-67-7	E421/EO	0.00020	mg/L	<0.00020	<0.00020	----	----	----	----	----
Dissolved metals filtration location	----	EP421/EO	-	-	Field	Field	----	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Aggregate Organics										
Naphthenic acids	----	E565-L/EO	0.10	mg/L	<0.10	<0.10	----	----	----	
Volatile Organic Compounds [Fuels]										
Benzene	71-43-2	E611A/EO	0.50	µg/L	<0.50	<0.50	----	----	----	
Ethylbenzene	100-41-4	E611A/EO	0.50	µg/L	<0.50	<0.50	----	----	----	
Styrene	100-42-5	E611A/EO	0.50	µg/L	<0.50	<0.50	----	----	----	
Toluene	108-88-3	E611A/EO	0.50	µg/L	<0.50	<0.50	----	----	----	
Xylene, m+p-	179601-23-1	E611A/EO	0.40	µg/L	<0.40	<0.40	----	----	----	
Xylene, o-	95-47-6	E611A/EO	0.30	µg/L	<0.30	<0.30	----	----	----	
Xylenes, total	1330-20-7	E611A/EO	0.50	µg/L	<0.50	<0.50	----	----	----	
BTEX, total	----	E611A/EO	1.0	µg/L	<1.0	<1.0	----	----	----	
Hydrocarbons										
F1 (C6-C10)	----	E581.F1/EO	100	µg/L	<100	<100	----	----	----	
F1-BTEX	----	EC580/EO	25	µg/L	<100	<100	----	----	----	
F2 (C10-C16)	----	E601/EO	100	µg/L	<100	<100	----	----	----	
F3 (C16-C34)	----	E601/EO	250	µg/L	<250	<250	----	----	----	
F4 (C34-C50)	----	E601/EO	250	µg/L	<250	<250	----	----	----	
Hydrocarbons, total (C6-C50)	n/a	EC581/EO	370	µg/L	<380	<380	----	----	----	
Hydrocarbons Surrogates										
Bromobenzotrifluoride, 2- (F2-F4 surrogate)	392-83-6	E601/EO	1.0	%	100	101	----	----	----	
Dichlorotoluene, 3,4-	95-75-0	E581.F1/EO	1.0	%	73.2	73.6	----	----	----	



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Volatile Organic Compounds Surrogates										
Bromofluorobenzene, 4-	460-00-4	E611A/EO	1.0	%	128	117	----	----	----	
Difluorobenzene, 1,4-	540-36-3	E611A/EO	1.0	%	112	110	----	----	----	
Polycyclic Aromatic Hydrocarbons										
Acenaphthene	83-32-9	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Acenaphthylene	208-96-8	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Acridine	260-94-6	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Anthracene	120-12-7	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Benz(a)anthracene	56-55-3	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Benzo(a)pyrene	50-32-8	E641A/EO	0.0050	µg/L	<0.0050	<0.0050	----	----	----	
Benzo(b+j)fluoranthene	n/a	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Benzo(b+j+k)fluoranthene	n/a	E641A/EO	0.015	µg/L	<0.015	<0.015	----	----	----	
Benzo(g,h,i)perylene	191-24-2	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Benzo(k)fluoranthene	207-08-9	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Chrysene	218-01-9	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Dibenz(a,h)anthracene	53-70-3	E641A/EO	0.0050	µg/L	<0.0050	<0.0050	----	----	----	
Fluoranthene	206-44-0	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Fluorene	86-73-7	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Indeno(1,2,3-c,d)pyrene	193-39-5	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Methylnaphthalene, 1-	90-12-0	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Methylnaphthalene, 1+2-	----	E641A/EO	0.015	µg/L	<0.015	<0.015	----	----	----	
Methylnaphthalene, 2-	91-57-6	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

					Client sample ID	Treated Water	Raw Water Chamber Tap	----	----	----
					Client sampling date / time	04-Nov-2024 09:30	04-Nov-2024 09:20	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2403037-001	FC2403037-002	----	----	----	
					Result	Result	----	----	----	
Polycyclic Aromatic Hydrocarbons										
Naphthalene	91-20-3	E641A/EO	0.050	µg/L	<0.050	<0.050	----	----	----	
Phenanthrene	85-01-8	E641A/EO	0.020	µg/L	<0.020	<0.020	----	----	----	
Pyrene	129-00-0	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
Quinoline	91-22-5	E641A/EO	0.050	µg/L	<0.050	<0.050	----	----	----	
B(a)P total potency equivalents [B(a)P TPE]	----	E641A/EO	0.010	µg/L	<0.010	<0.010	----	----	----	
PAHs, high molecular weight (BC AWQ)	n/a	E641A/EO	0.030	µg/L	<0.030	<0.030	----	----	----	
PAHs, low molecular weight (BC AWQ)	n/a	E641A/EO	0.060	µg/L	<0.060	<0.060	----	----	----	
PAHs, total (CCME sewer 18)	n/a	E641A/EO	0.070	µg/L	<0.070	<0.070	----	----	----	
PAHs, total (EPA 16)	n/a	E641A/EO	0.065	µg/L	<0.065	<0.065	----	----	----	
Polycyclic Aromatic Hydrocarbons Surrogates										
Chrysene-d12	1719-03-5	E641A/EO	0.1	%	112	112	----	----	----	
Naphthalene-d8	1146-65-2	E641A/EO	0.1	%	120	121	----	----	----	
Phenanthrene-d10	1517-22-2	E641A/EO	0.1	%	118	120	----	----	----	

Please refer to the General Comments section for an explanation of any result qualifiers detected.