

CERTIFICATE OF ANALYSIS

Work Order	: FC2601618	Laboratory	: ALS Environmental - Fort McMurray
Client	: Regional Municipality of Wood Buffalo	Account Manager	: Vishal Akolkar
Contact	: Water Treatment Plant	Address	: #4, 340 Macalpine Crescent
Address	: 1 Silin Forest Road Fort McMurray Alberta Canada T9H 5A1		: Fort McMurray AB Canada T9H 4A8
Telephone	: 780-762-5863	E-mail	: Vishal.Akolkar@alsglobal.com
Project	: Fort Chipewyan Table 1	Telephone	: +1 780 791 1524
PO	: 4500068005	Date Samples Received	: 13-Jul-2026 16:15
C-O-C number	: ----	Date Analysis Commenced	: 14-Jul-2026
Sampler	: PP	Issue Date	: 16-Jul-2026 17:08
Site	: ----		
Quote number	: Water Treatment Plant		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Alex Drake	Lab Analyst	Inorganics, Edmonton, Alberta
Daniel Nguyen	Laboratory Analyst	Metals, Edmonton, Alberta
Greg Pokocky	Manager - Inorganics	Inorganics, Waterloo, Ontario
Harpreet Chawla	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Logan Carroll	Laboratory Analyst	Inorganics, Edmonton, Alberta
Nick Zhang	Lab Assistant	Inorganics, Edmonton, Alberta
Shruti Mudliar	Lab Analyst	Metals, Edmonton, Alberta
Shruti Mudliar	Lab Analyst	Inorganics, Edmonton, Alberta
Tracy Harley	Supervisor - Water Quality Instrumentation	Inorganics, Burnaby, British Columbia
Yan Zhang	Team Leader - Organics	Organics, Edmonton, Alberta



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.
LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
%	percent
mg/L	milligrams per litre
pH units	pH units
psu	practical salinity units
µg/L	micrograms per litre
µS/cm	microsiemens per centimetre

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
RRV	Reported result verified by repeat analysis.



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Sample Preparation									
Dissolved carbon filtration location	----	EP358/EO	-	-	field	----	----	----	----
Physical Tests									
Alkalinity, bicarbonate (as HCO ₃)	71-52-3	E290/EO	1.2	mg/L	98.5	----	----	----	----
Alkalinity, carbonate (as CO ₃)	3812-32-6	E290/EO	1.0	mg/L	<0.6	----	----	----	----
Alkalinity, hydroxide (as OH)	14280-30-9	E290/EO	1.0	mg/L	<0.3	----	----	----	----
Alkalinity, total (as CaCO ₃)	----	E290/EO	1.0	mg/L	80.7	----	----	----	----
Conductivity	----	E100/EO	1.0	µS/cm	267	----	----	----	----
Hardness (as CaCO ₃), dissolved	----	EC100/EO	0.50	mg/L	84.1	----	----	----	----
pH	----	E108/EO	0.10	pH units	8.01	----	----	----	----
Salinity	----	EC100S/VA	1.0	psu	<1.0	----	----	----	----
Solids, total dissolved [TDS], calculated	----	EC103/EO	1.0	mg/L	166	----	----	----	----
Anions and Nutrients									
Chloride	16887-00-6	E235.Cl/EO	0.50	mg/L	33.9	----	----	----	----
Fluoride	16984-48-8	E235.F/EO	0.020	mg/L	<0.020	----	----	----	----
Nitrate (as N)	14797-55-8	E235.NO3/EO	0.020	mg/L	<0.020	----	----	----	----
Nitrate + Nitrite (as N)	----	EC235.N+N/EO	0.0032	mg/L	<0.022	----	----	----	----
Nitrite (as N)	14797-65-0	E235.NO2/EO	0.010	mg/L	<0.010	----	----	----	----
Sulfate (as SO ₄)	14808-79-8	E235.SO4/EO	0.30	mg/L	13.3	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Organic / Inorganic Carbon									
Carbon, dissolved organic [DOC]	----	E358-L/EO	0.50	mg/L	5.43 ^{RRV}	----	----	----	----
Carbon, total organic [TOC]	----	E355-L/EO	0.50	mg/L	4.88 ^{RRV}	----	----	----	----
Total Sulfides									
Sulfide, total (as S)	18496-25-8	E395/CG	0.0015	mg/L	<0.0015	----	----	----	----
Sulfide, total (as H2S)	7783-06-4	E395/CG	0.0016	mg/L	<0.0016	----	----	----	----
Metals									
Sodium adsorption ratio [SAR]	----	EC102A/EO	0.10	-	1.35	----	----	----	----
Ion Balance									
Ion balance (cations/anions)	----	EC101/EO	0.010	%	104	----	----	----	----
Total Metals									
Aluminum, total	7429-90-5	E420/EO	0.0030	mg/L	0.0457	----	----	----	----
Antimony, total	7440-36-0	E420/EO	0.00010	mg/L	0.00010	----	----	----	----
Arsenic, total	7440-38-2	E420/EO	0.00010	mg/L	0.00052	----	----	----	----
Barium, total	7440-39-3	E420/EO	0.00010	mg/L	0.0395	----	----	----	----
Beryllium, total	7440-41-7	E420/EO	0.020	µg/L	<0.020	----	----	----	----
Bismuth, total	7440-69-9	E420/EO	0.050	µg/L	<0.050	----	----	----	----
Boron, total	7440-42-8	E420/EO	0.010	mg/L	0.027	----	----	----	----
Cadmium, total	7440-43-9	E420/EO	0.0050	µg/L	0.0067	----	----	----	----
Calcium, total	7440-70-2	E420/EO	0.050	mg/L	24.5	----	----	----	----
Cesium, total	7440-46-2	E420/EO	0.010	µg/L	<0.010	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Total Metals									
Chromium, total	7440-47-3	E420/EO	0.00050	mg/L	0.00050	----	----	----	----
Cobalt, total	7440-48-4	E420/EO	0.00010	mg/L	<0.00010	----	----	----	----
Copper, total	7440-50-8	E420/EO	0.00050	mg/L	0.00177	----	----	----	----
Iron, total	7439-89-6	E420/EO	0.010	mg/L	<0.010	----	----	----	----
Lead, total	7439-92-1	E420/EO	0.050	µg/L	<0.050	----	----	----	----
Lithium, total	7439-93-2	E420/EO	0.0010	mg/L	0.0052	----	----	----	----
Magnesium, total	7439-95-4	E420/EO	0.0050	mg/L	6.32	----	----	----	----
Manganese, total	7439-96-5	E420/EO	0.00010	mg/L	0.0299	----	----	----	----
Molybdenum, total	7439-98-7	E420/EO	0.050	µg/L	0.531	----	----	----	----
Nickel, total	7440-02-0	E420/EO	0.00050	mg/L	0.00123	----	----	----	----
Phosphorus, total	7723-14-0	E420/EO	0.050	mg/L	<0.050	----	----	----	----
Potassium, total	7440-09-7	E420/EO	0.050	mg/L	1.41	----	----	----	----
Rubidium, total	7440-17-7	E420/EO	0.00020	mg/L	0.00136	----	----	----	----
Selenium, total	7782-49-2	E420/EO	0.050	µg/L	0.058	----	----	----	----
Silicon, total	7440-21-3	E420/EO	0.10	mg/L	2.06	----	----	----	----
Silver, total	7440-22-4	E420/EO	0.010	µg/L	<0.010	----	----	----	----
Sodium, total	7440-23-5	E420/EO	0.050	mg/L	28.7	----	----	----	----
Strontium, total	7440-24-6	E420/EO	0.00020	mg/L	0.131	----	----	----	----
Sulfur, total	7704-34-9	E420/EO	0.50	mg/L	5.28	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Total Metals									
Tellurium, total	13494-80-9	E420/EO	0.00020	mg/L	<0.00020	----	----	----	----
Thallium, total	7440-28-0	E420/EO	0.010	µg/L	<0.010	----	----	----	----
Thorium, total	7440-29-1	E420/EO	0.00010	mg/L	<0.00010	----	----	----	----
Tin, total	7440-31-5	E420/EO	0.00010	mg/L	<0.00010	----	----	----	----
Titanium, total	7440-32-6	E420/EO	0.00030	mg/L	<0.00030	----	----	----	----
Tungsten, total	7440-33-7	E420/EO	0.00010	mg/L	<0.00010	----	----	----	----
Uranium, total	7440-61-1	E420/EO	0.010	µg/L	<0.010	----	----	----	----
Vanadium, total	7440-62-2	E420/EO	0.00050	mg/L	<0.00050	----	----	----	----
Zinc, total	7440-66-6	E420/EO	0.0030	mg/L	<0.0030	----	----	----	----
Zirconium, total	7440-67-7	E420/EO	0.00020	mg/L	<0.00020	----	----	----	----
Dissolved Metals									
Aluminum, dissolved	7429-90-5	E421/EO	0.0010	mg/L	0.0460	----	----	----	----
Antimony, dissolved	7440-36-0	E421/EO	0.00010	mg/L	<0.00010	----	----	----	----
Arsenic, dissolved	7440-38-2	E421/EO	0.00010	mg/L	0.00051	----	----	----	----
Barium, dissolved	7440-39-3	E421/EO	0.00010	mg/L	0.0405	----	----	----	----
Beryllium, dissolved	7440-41-7	E421/EO	0.020	µg/L	<0.020	----	----	----	----
Bismuth, dissolved	7440-69-9	E421/EO	0.050	µg/L	<0.050	----	----	----	----
Boron, dissolved	7440-42-8	E421/EO	0.010	mg/L	0.025	----	----	----	----
Cadmium, dissolved	7440-43-9	E421/EO	0.0050	µg/L	0.0058	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Dissolved Metals									
Calcium, dissolved	7440-70-2	E421/EO	0.050	mg/L	24.1	----	----	----	----
Cesium, dissolved	7440-46-2	E421/EO	0.010	µg/L	<0.010	----	----	----	----
Chromium, dissolved	7440-47-3	E421/EO	0.00050	mg/L	<0.00050	----	----	----	----
Cobalt, dissolved	7440-48-4	E421/EO	0.00010	mg/L	<0.00010	----	----	----	----
Copper, dissolved	7440-50-8	E421/EO	0.00020	mg/L	0.00172	----	----	----	----
Iron, dissolved	7439-89-6	E421/EO	0.010	mg/L	<0.010	----	----	----	----
Lead, dissolved	7439-92-1	E421/EO	0.050	µg/L	<0.050	----	----	----	----
Lithium, dissolved	7439-93-2	E421/EO	0.0010	mg/L	0.0051	----	----	----	----
Magnesium, dissolved	7439-95-4	E421/EO	0.0050	mg/L	5.80	----	----	----	----
Manganese, dissolved	7439-96-5	E421/EO	0.00010	mg/L	0.0271	----	----	----	----
Molybdenum, dissolved	7439-98-7	E421/EO	0.050	µg/L	0.493	----	----	----	----
Nickel, dissolved	7440-02-0	E421/EO	0.00050	mg/L	0.00110	----	----	----	----
Phosphorus, dissolved	7723-14-0	E421/EO	0.050	mg/L	<0.050	----	----	----	----
Potassium, dissolved	7440-09-7	E421/EO	0.050	mg/L	1.42	----	----	----	----
Rubidium, dissolved	7440-17-7	E421/EO	0.00020	mg/L	0.00133	----	----	----	----
Selenium, dissolved	7782-49-2	E421/EO	0.050	µg/L	0.061	----	----	----	----
Silicon, dissolved	7440-21-3	E421/EO	0.050	mg/L	2.04	----	----	----	----
Silver, dissolved	7440-22-4	E421/EO	0.010	µg/L	<0.010	----	----	----	----
Sodium, dissolved	7440-23-5	E421/EO	0.050	mg/L	28.4	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Dissolved Metals									
Strontium, dissolved	7440-24-6	E421/EO	0.00020	mg/L	0.124	----	----	----	----
Sulfur, dissolved	7704-34-9	E421/EO	0.50	mg/L	5.31	----	----	----	----
Tellurium, dissolved	13494-80-9	E421/EO	0.00020	mg/L	<0.00020	----	----	----	----
Thallium, dissolved	7440-28-0	E421/EO	0.010	µg/L	<0.010	----	----	----	----
Thorium, dissolved	7440-29-1	E421/EO	0.00010	mg/L	<0.00010	----	----	----	----
Tin, dissolved	7440-31-5	E421/EO	0.00010	mg/L	<0.00010	----	----	----	----
Titanium, dissolved	7440-32-6	E421/EO	0.00030	mg/L	<0.00030	----	----	----	----
Tungsten, dissolved	7440-33-7	E421/EO	0.00010	mg/L	<0.00010	----	----	----	----
Uranium, dissolved	7440-61-1	E421/EO	0.010	µg/L	<0.010	----	----	----	----
Vanadium, dissolved	7440-62-2	E421/EO	0.00050	mg/L	<0.00050	----	----	----	----
Zinc, dissolved	7440-66-6	E421/EO	0.0010	mg/L	<0.0010	----	----	----	----
Zirconium, dissolved	7440-67-7	E421/EO	0.00020	mg/L	<0.00020	----	----	----	----
Dissolved metals filtration location	----	EP421/EO	-	-	Field	----	----	----	----
Aggregate Organics									
Naphthenic acids	----	E565/EO	1.0	mg/L	<1.0	----	----	----	----
Volatile Organic Compounds [Fuels]									
Benzene	71-43-2	E611A/EO	0.50	µg/L	<0.50	----	----	----	----
Ethylbenzene	100-41-4	E611A/EO	0.50	µg/L	<0.50	----	----	----	----
Styrene	100-42-5	E611A/EO	0.50	µg/L	<0.50	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Volatile Organic Compounds [Fuels]									
Toluene	108-88-3	E611A/EO	0.50	µg/L	<0.50	----	----	----	----
Xylene, m+p-	179601-23-1	E611A/EO	0.40	µg/L	<0.40	----	----	----	----
Xylene, o-	95-47-6	E611A/EO	0.30	µg/L	<0.30	----	----	----	----
Xylenes, total	1330-20-7	E611A/EO	0.50	µg/L	<0.50	----	----	----	----
BTEX, total	----	E611A/EO	1.0	µg/L	<1.0	----	----	----	----
Hydrocarbons									
F1 (C6-C10)	----	E581.F1/EO	100	µg/L	<100	----	----	----	----
F1-BTEX	----	EC580/EO	25	µg/L	<26	----	----	----	----
F2 (C10-C16)	----	E601/EO	100	µg/L	<100	----	----	----	----
F3 (C16-C34)	----	E601/EO	250	µg/L	<250	----	----	----	----
F4 (C34-C50)	----	E601/EO	250	µg/L	<250	----	----	----	----
Hydrocarbons, total (C6-C50)	n/a	EC581/EO	370	µg/L	<380	----	----	----	----
Hydrocarbons Surrogates									
Bromobenzotrifluoride, 2- (F2-F4 surrogate)	392-83-6	E601/EO	1.0	%	106	----	----	----	----
Dichlorotoluene, 3,4-	95-75-0	E581.F1/EO	1.0	%	78.4	----	----	----	----
Volatile Organic Compounds Surrogates									
Bromofluorobenzene, 4-	460-00-4	E611A/EO	1.0	%	90.0	----	----	----	----
Difluorobenzene, 1,4-	540-36-3	E611A/EO	1.0	%	99.7	----	----	----	----
Polycyclic Aromatic Hydrocarbons									
Acenaphthene	83-32-9	E641A/EO	0.010	µg/L	<0.010	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Polycyclic Aromatic Hydrocarbons									
Acenaphthylene	208-96-8	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Acridine	260-94-6	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Anthracene	120-12-7	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Benz(a)anthracene	56-55-3	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Benzo(a)pyrene	50-32-8	E641A/EO	0.0050	µg/L	<0.0050	----	----	----	----
Benzo(b+j)fluoranthene	n/a	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Benzo(b+j+k)fluoranthene	n/a	E641A/EO	0.015	µg/L	<0.015	----	----	----	----
Benzo(e)pyrene	192-97-2	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Benzo(g,h,i)perylene	191-24-2	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Benzo(k)fluoranthene	207-08-9	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Chrysene	218-01-9	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Dibenz(a,h)anthracene	53-70-3	E641A/EO	0.0050	µg/L	<0.0050	----	----	----	----
Fluoranthene	206-44-0	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Fluorene	86-73-7	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Indeno(1,2,3-cd)pyrene	193-39-5	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Methylnaphthalene, 1-	90-12-0	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Methylnaphthalene, 1+2-	----	E641A/EO	0.015	µg/L	<0.015	----	----	----	----
Methylnaphthalene, 2-	91-57-6	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Naphthalene	91-20-3	E641A/EO	0.050	µg/L	<0.050	----	----	----	----



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID					ED-9150030-FORT CHIPEWYAN - Entering Distribution ----	----	----	----	----
Client sampling date / time					13-Jul-2026 07:45	----	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	FC2601618-001	----	----	----	----
					Result	----	----	----	----
Polycyclic Aromatic Hydrocarbons									
Perylene	198-55-0	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Phenanthrene	85-01-8	E641A/EO	0.020	µg/L	<0.020	----	----	----	----
Pyrene	129-00-0	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Quinoline	91-22-5	E641A/EO	0.050	µg/L	<0.050	----	----	----	----
B(a)P total potency equivalents [B(a)P TPE]	----	E641A/EO	0.010	µg/L	<0.010	----	----	----	----
Polycyclic Aromatic Hydrocarbons Surrogates									
Chrysene-d12	1719-03-5	E641A/EO	0.1	%	93.6	----	----	----	----
Naphthalene-d8	1146-65-2	E641A/EO	0.1	%	129	----	----	----	----
Phenanthrene-d10	1517-22-2	E641A/EO	0.1	%	102	----	----	----	----
Disinfectant By-Products									
Chlorate	14866-68-3	E409.CLO3/WT	0.010	mg/L	0.068	----	----	----	----
Chlorite	14998-27-7	E409.CLO2/WT	0.010	mg/L	<0.010	----	----	----	----

Please refer to the General Comments section for an explanation of any qualifiers detected.

CERTIFICATE OF ANALYSIS

Work Order	: FC2601618	Page	: 1 of 6
Client	: Regional Municipality of Wood Buffalo	Laboratory	: ALS Environmental - Fort McMurray
Contact	: Water Treatment Plant	Account Manager	: Vishal Akolkar
Address	: 1 Silin Forest Road	Address	: #4, 340 Macalpine Crescent
	Fort McMurray AB Canada T9H 5A1		Fort McMurray AB Canada T9H 4A8
Telephone	: 780-762-5863	Telephone	: +1 780 791 1524
Project	: Fort Chipewyan Table 1	Date Samples Received	: 13-Jul-2026 16:15
PO	: 4500068005	Date Analysis	: 14-Jul-2026
		Commenced	
		Issue Date	: 16-Jul-2026 17:07
C-O-C number	: ----		
Sampler	: PP		
Site	: ----		
Quote number	: Water Treatment Plant		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Alex Drake	Lab Analyst	Inorganics, Edmonton, Alberta
Daniel Nguyen	Laboratory Analyst	Metals, Edmonton, Alberta
Greg Pokocky	Manager - Inorganics	Inorganics, Waterloo, Ontario
Harpreet Chawla	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Logan Carroll	Laboratory Analyst	Inorganics, Edmonton, Alberta
Nick Zhang	Lab Assistant	Inorganics, Edmonton, Alberta
Shruti Mudliar	Lab Analyst	Inorganics, Edmonton, Alberta
Shruti Mudliar	Lab Analyst	Metals, Edmonton, Alberta
Tracy Harley	Supervisor - Water Quality Instrumentation	Inorganics, Burnaby, British Columbia
Yan Zhang	Team Leader - Organics	Organics, Edmonton, Alberta



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).
Measurement Uncertainty: The reported uncertainties in this report are expanded uncertainties calculated using a coverage factor of 2, which gives a level of confidence of approximately 95%.
Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Unit	Description
-	no units
%	percent
µg/L	micrograms per litre
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units
psu	practical salinity units

>: greater than.

<: less than.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
RRV	Reported result verified by repeat analysis.



Analytical Results

FC2601618-001

Sub-Matrix: Water

(Matrix: Water)

Client sample ID: ED-9150030-FORT CHIPEWYAN - Entering Distribution

Client sampling date / time: 13-Jul-2026 07:45

Analyte	CAS Number	Result	LOR	Unit	Method/Lab	Prep Date	Analysis Date	QCLot
Sample Preparation								
Dissolved carbon filtration location	----	field	-	-	EP358/EO	-	15-Jul-2026	2710658
Physical Tests								
Alkalinity, bicarbonate (as HCO ₃)	71-52-3	98.5	1.2	mg/L	E290/EO	14-Jul-2026	14-Jul-2026	2708708
Alkalinity, carbonate (as CO ₃)	3812-32-6	<0.6	0.6	mg/L	E290/EO	14-Jul-2026	14-Jul-2026	2708708
Alkalinity, hydroxide (as OH)	14280-30-9	<0.3	0.3	mg/L	E290/EO	14-Jul-2026	14-Jul-2026	2708708
Alkalinity, total (as CaCO ₃)	----	80.7	1.0	mg/L	E290/EO	14-Jul-2026	14-Jul-2026	2708708
Conductivity	----	267	1.0	µS/cm	E100/EO	14-Jul-2026	14-Jul-2026	2708707
Hardness (as CaCO ₃), dissolved	----	84.1	0.50	mg/L	EC100/EO	-	15-Jul-2026	-
pH	----	8.01	0.10	pH units	E108/EO	14-Jul-2026	14-Jul-2026	2708706
Salinity	----	<1.0	1.0	psu	EC100S/VA	-	16-Jul-2026	-
Solids, total dissolved [TDS], calculated	----	166	1.0	mg/L	EC103/EO	-	15-Jul-2026	-
Anions and Nutrients								
Chloride	16887-00-6	33.9	0.50	mg/L	E235.Cl/EO	14-Jul-2026	14-Jul-2026	2708559
Fluoride	16984-48-8	<0.020	0.020	mg/L	E235.F/EO	14-Jul-2026	14-Jul-2026	2708558
Nitrate (as N)	14797-55-8	<0.020	0.020	mg/L	E235.NO ₃ /EO	14-Jul-2026	14-Jul-2026	2708555
Nitrate + Nitrite (as N)	----	<0.022	0.022	mg/L	EC235.N+N/EO	-	15-Jul-2026	-
Nitrite (as N)	14797-65-0	<0.010	0.010	mg/L	E235.NO ₂ /EO	14-Jul-2026	14-Jul-2026	2708556
Sulfate (as SO ₄)	14808-79-8	13.3	0.30	mg/L	E235.SO ₄ /EO	14-Jul-2026	14-Jul-2026	2708557
Organic / Inorganic Carbon								
Carbon, dissolved organic [DOC]	----	5.43	RRV, 0.50	mg/L	E358-L/EO	15-Jul-2026	15-Jul-2026	2710658
Carbon, total organic [TOC]	----	4.88	RRV, 0.50	mg/L	E355-L/EO	14-Jul-2026	15-Jul-2026	2708507
Total Sulfides								
Sulfide, total (as S)	18496-25-8	<0.0015	0.0015	mg/L	E395/CG	-	15-Jul-2026	2709876
Sulfide, total (as H ₂ S)	7783-06-4	<0.0016	0.0016	mg/L	E395/CG	-	15-Jul-2026	2709876
Metals								
Sodium adsorption ratio [SAR]	----	1.35	0.10	-	EC102A/EO	-	15-Jul-2026	-
Ion Balance								
Ion balance (cations/anions)	----	104	0.010	%	EC101/EO	-	15-Jul-2026	-
Total Metals								
Aluminum, total	7429-90-5	0.0457	0.0030	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Antimony, total	7440-36-0	0.00010	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Arsenic, total	7440-38-2	0.00052	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Barium, total	7440-39-3	0.0395	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Beryllium, total	7440-41-7	<0.020	0.020	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Bismuth, total	7440-69-9	<0.050	0.050	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Boron, total	7440-42-8	0.027	0.010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Cadmium, total	7440-43-9	0.0067	0.0050	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Calcium, total	7440-70-2	24.5	0.050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Cesium, total	7440-46-2	<0.010	0.010	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Chromium, total	7440-47-3	0.00050	0.00050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Cobalt, total	7440-48-4	<0.00010	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Copper, total	7440-50-8	0.00177	0.00050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Iron, total	7439-89-6	<0.010	0.010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Lead, total	7439-92-1	<0.050	0.050	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Lithium, total	7439-93-2	0.0052	0.0010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621



Analytical Results

FC2601618-001

Sub-Matrix: Water

(Matrix: Water)

Client sample ID: ED-9150030-FORT CHIPEWYAN - Entering Distribution

Client sampling date / time: 13-Jul-2026 07:45

Analyte	CAS Number	Result	LOR	Unit	Method/Lab	Prep Date	Analysis Date	QCLOT
Total Metals								
Magnesium, total	7439-95-4	6.32	0.0050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Manganese, total	7439-96-5	0.0299	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Molybdenum, total	7439-98-7	0.531	0.050	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Nickel, total	7440-02-0	0.00123	0.00050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Phosphorus, total	7723-14-0	<0.050	0.050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Potassium, total	7440-09-7	1.41	0.050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Rubidium, total	7440-17-7	0.00136	0.00020	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Selenium, total	7782-49-2	0.058	0.050	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Silicon, total	7440-21-3	2.06	0.10	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Silver, total	7440-22-4	<0.010	0.010	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Sodium, total	7440-23-5	28.7	0.050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Strontium, total	7440-24-6	0.131	0.00020	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Sulfur, total	7704-34-9	5.28	0.50	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Tellurium, total	13494-80-9	<0.00020	0.00020	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Thallium, total	7440-28-0	<0.010	0.010	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Thorium, total	7440-29-1	<0.00010	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Tin, total	7440-31-5	<0.00010	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Titanium, total	7440-32-6	<0.00030	0.00030	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Tungsten, total	7440-33-7	<0.00010	0.00010	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Uranium, total	7440-61-1	<0.010	0.010	µg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Vanadium, total	7440-62-2	<0.00050	0.00050	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Zinc, total	7440-66-6	<0.0030	0.0030	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Zirconium, total	7440-67-7	<0.00020	0.00020	mg/L	E420/EO	14-Jul-2026	14-Jul-2026	2708621
Dissolved Metals								
Aluminum, dissolved	7429-90-5	0.0460	0.0010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Antimony, dissolved	7440-36-0	<0.00010	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Arsenic, dissolved	7440-38-2	0.00051	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Barium, dissolved	7440-39-3	0.0405	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Beryllium, dissolved	7440-41-7	<0.020	0.020	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Bismuth, dissolved	7440-69-9	<0.050	0.050	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Boron, dissolved	7440-42-8	0.025	0.010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Cadmium, dissolved	7440-43-9	0.0058	0.0050	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Calcium, dissolved	7440-70-2	24.1	0.050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Cesium, dissolved	7440-46-2	<0.010	0.010	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Chromium, dissolved	7440-47-3	<0.00050	0.00050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Cobalt, dissolved	7440-48-4	<0.00010	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Copper, dissolved	7440-50-8	0.00172	0.00020	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Iron, dissolved	7439-89-6	<0.010	0.010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Lead, dissolved	7439-92-1	<0.050	0.050	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Lithium, dissolved	7439-93-2	0.0051	0.0010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Magnesium, dissolved	7439-95-4	5.80	0.0050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Manganese, dissolved	7439-96-5	0.0271	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Molybdenum, dissolved	7439-98-7	0.493	0.050	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Nickel, dissolved	7440-02-0	0.00110	0.00050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Phosphorus, dissolved	7723-14-0	<0.050	0.050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483



Analytical Results

FC2601618-001

Sub-Matrix: Water

(Matrix: Water)

Client sample ID: ED-9150030-FORT CHIPEWYAN - Entering Distribution

Client sampling date / time: 13-Jul-2026 07:45

Analyte	CAS Number	Result	LOR	Unit	Method/Lab	Prep Date	Analysis Date	QC/Lot
Dissolved Metals								
Potassium, dissolved	7440-09-7	1.42	0.050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Rubidium, dissolved	7440-17-7	0.00133	0.00020	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Selenium, dissolved	7782-49-2	0.061	0.050	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Silicon, dissolved	7440-21-3	2.04	0.050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Silver, dissolved	7440-22-4	<0.010	0.010	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Sodium, dissolved	7440-23-5	28.4	0.050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Strontium, dissolved	7440-24-6	0.124	0.00020	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Sulfur, dissolved	7704-34-9	5.31	0.50	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Tellurium, dissolved	13494-80-9	<0.00020	0.00020	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Thallium, dissolved	7440-28-0	<0.010	0.010	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Thorium, dissolved	7440-29-1	<0.00010	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Tin, dissolved	7440-31-5	<0.00010	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Titanium, dissolved	7440-32-6	<0.00030	0.00030	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Tungsten, dissolved	7440-33-7	<0.00010	0.00010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Uranium, dissolved	7440-61-1	<0.010	0.010	µg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Vanadium, dissolved	7440-62-2	<0.00050	0.00050	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Zinc, dissolved	7440-66-6	<0.0010	0.0010	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Zirconium, dissolved	7440-67-7	<0.00020	0.00020	mg/L	E421/EO	14-Jul-2026	14-Jul-2026	2708483
Dissolved metals filtration location	----	Field	-	-	EP421/EO	-	14-Jul-2026	2708483
Aggregate Organics								
Naphthenic acids	----	<1.0	1.0	mg/L	E565/EO	14-Jul-2026	15-Jul-2026	2708290
Volatile Organic Compounds [Fuels]								
Benzene	71-43-2	<0.50	0.50	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Ethylbenzene	100-41-4	<0.50	0.50	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Styrene	100-42-5	<0.50	0.50	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Toluene	108-88-3	<0.50	0.50	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Xylene, m+p-	179601-23-1	<0.40	0.40	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Xylene, o-	95-47-6	<0.30	0.30	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Xylenes, total	1330-20-7	<0.50	0.50	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
BTEX, total	----	<1.0	1.0	µg/L	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Hydrocarbons								
F1 (C6-C10)	----	<100	100	µg/L	E581.F1/EO	14-Jul-2026	14-Jul-2026	2708118
F1-BTEX	----	<26	26	µg/L	EC580/EO	-	14-Jul-2026	-
F2 (C10-C16)	----	<100	100	µg/L	E601/EO	15-Jul-2026	15-Jul-2026	2709772
F3 (C16-C34)	----	<250	250	µg/L	E601/EO	15-Jul-2026	15-Jul-2026	2709772
F4 (C34-C50)	----	<250	250	µg/L	E601/EO	15-Jul-2026	15-Jul-2026	2709772
Hydrocarbons, total (C6-C50)	n/a	<380	380	µg/L	EC581/EO	-	14-Jul-2026	-
Hydrocarbons Surrogates								
Bromobenzotrifluoride, 2- (F2-F4 surrogate)	392-83-6	106	1.0	%	E601/EO	15-Jul-2026	15-Jul-2026	2709772
Dichlorotoluene, 3,4-	95-75-0	78.4	1.0	%	E581.F1/EO	14-Jul-2026	14-Jul-2026	2708118
Volatile Organic Compounds Surrogates								
Bromofluorobenzene, 4-	460-00-4	90.0	1.0	%	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Difluorobenzene, 1,4-	540-36-3	99.7	1.0	%	E611A/EO	14-Jul-2026	14-Jul-2026	2708119
Polycyclic Aromatic Hydrocarbons								
Acenaphthene	83-32-9	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773



Analytical Results

FC2601618-001

Sub-Matrix: Water

(Matrix: Water)

Client sample ID: ED-9150030-FORT CHIPEWYAN - Entering Distribution

Client sampling date / time: 13-Jul-2026 07:45

Analyte	CAS Number	Result	LOR	Unit	Method/Lab	Prep Date	Analysis Date	QCLot
Polycyclic Aromatic Hydrocarbons								
Acenaphthylene	208-96-8	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Acridine	260-94-6	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Anthracene	120-12-7	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benz(a)anthracene	56-55-3	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benzo(a)pyrene	50-32-8	<0.0050	0.0050	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benzo(b+j)fluoranthene	n/a	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benzo(b+j+k)fluoranthene	n/a	<0.015	0.015	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benzo(e)pyrene	192-97-2	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benzo(g,h,i)perylene	191-24-2	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Benzo(k)fluoranthene	207-08-9	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Chrysene	218-01-9	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Dibenz(a,h)anthracene	53-70-3	<0.0050	0.0050	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Fluoranthene	206-44-0	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Fluorene	86-73-7	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Indeno(1,2,3-cd)pyrene	193-39-5	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Methylnaphthalene, 1-	90-12-0	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Methylnaphthalene, 1+2-	----	<0.015	0.015	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Methylnaphthalene, 2-	91-57-6	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Naphthalene	91-20-3	<0.050	0.050	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Perylene	198-55-0	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Phenanthrene	85-01-8	<0.020	0.020	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Pyrene	129-00-0	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Quinoline	91-22-5	<0.050	0.050	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
B(a)P total potency equivalents [B(a)P TPE]	----	<0.010	0.010	µg/L	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Polycyclic Aromatic Hydrocarbons Surrogates								
Chrysene-d12	1719-03-5	93.6	0.1	%	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Naphthalene-d8	1146-65-2	129	0.1	%	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Phenanthrene-d10	1517-22-2	102	0.1	%	E641A/EO	15-Jul-2026	15-Jul-2026	2709773
Disinfectant By-Products								
Chlorate	14866-68-3	0.068	0.010	mg/L	E409.CLO3/WT	15-Jul-2026	15-Jul-2026	2710329
Chlorite	14998-27-7	<0.010	0.010	mg/L	E409.CLO2/WT	15-Jul-2026	15-Jul-2026	2710328

Please refer to the General Comments section for an explanation of any result qualifiers detected.